

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	12657	flexible adj substrate	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 09:53		
2	BRS	28	rigid adj substrate with fold\$3	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 09:53		
3	BRS	7	("4287525" "4314259" "4532530" "4935752" "5008689" "5045870" "5453769").PN.	USPAT	2003/06/ 03 09:53		
4	BRS	45	5224023.URPN.	USPAT	2003/06/ 03 09:54		
5	BRS	13	5717556.URPN.	USPAT	2003/06/ 03 09:58		
6	BRS	1	6288343.URPN.	USPAT	2003/06/ 03 10:01		
7	BRS	21	("4338149" "4687695" "4800461" "4931134" "5004639" "5008496" "5072074" "5121297" "5144742" "5161986" "5262248" "5263594" "5499444" "5576519" "5616888" "5629497" "5633480" "5717556" "5997983" "6084778" "6099745").PN.	USPAT	2003/06/ 03 10:01		
8	BRS	26	4338149.URPN.	USPAT	2003/06/ 03 10:07		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
9	BRS	62	bendable adj substrate	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 10:23		
10	BRS	102	("5582884" "5750062" "6041930" "4406124" "4429530" "4756597" "4762514" "4765463" "4830802" "5261885" "5269777" "5528869" "5624131" "5857614" "6386438" "5601672" "5916073" "6210614" "6210614" "4307472" "4351461" "4403845" "4496029" "4505391" "4530157" "4533063" RE32056 "4756560" "4880417" "4887801" "4952256" "5220858"	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 10:26		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
11	BRS	49	("5582884" "5750062" "6041930" "4406124" "4429530" "4756597" "4762514" "4765463" "4830802" "5261885" "5269777" "5528869" "5624131" "5857614" "6386438" "5601672" "5916073" "6210614" "6210614" "4307472" "4351461" "4403845" "4496029" "4505391" "4530157" "4533063" RE32056 "4756560" "4880417" "4887801" "4952256" "5220858"	USPAT	2003/06/ 03 10:29		
12	IS& R	1	("H001640").PN.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 10:29		
13	BRS	268	(bendable or flexible) and smartcard\$1	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 14:48		
14	BRS	26	(bendable or flexible) with (support or substrate) and smartcard\$1	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 10:33		

	Typ e	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
15	BRS	1203	weaken\$3 with (substrate or support) and (flexible or bendable)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 11:06		
16	BRS	13	"4495946"	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 11:06		
17	IS& R	2	("4495946").PN.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 11:07		
18	IS& R	2	("4495546").PN.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 11:32		
19	BRS	51	4495546.URPN.	USPAT	2003/06/ 03 11:07		
20	BRS	18	4872934.URPN.	USPAT	2003/06/ 03 11:32		
21	BRS	36	5121297.URPN.	USPAT	2003/06/ 03 11:35		
22	BRS	8	("4509095" "4680675" "5121297" "5144742" "5499444" "5764497" "6224395" "6233153").PN.	USPAT	2003/06/ 03 11:49		
23	BRS	18	5179501.URPN.	USPAT	2003/06/ 03 11:53		
24	IS& R	1	("6356958").PN.	USPAT	2003/06/ 03 13:46		
25	IS& R	3	((("5179501") or ("5121297") or ("4872934"))).PN.	USPAT	2003/06/ 03 14:18		

	Typ e	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
26	BRS	0	((("5179501") or ("5121297") or ("4872934"))).PN.) and electroplat\$3	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 14:18		
27	BRS	3	((("5179501") or ("5121297") or ("4872934"))).PN.) and plat\$3	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 14:18		
28	BRS	15	4287525.URPN.	USPAT	2003/06/ 03 14:23		
29	BRS	12	("6142611" "5453769").uref.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 14:26		
30	BRS	7	("4287525" "4314259" "4532530" "4935752" "5008689" "5045870" "5453769").PN.	USPAT	2003/06/ 03 14:28		
31	BRS	7	("3626143" "4287525" "4314259" "4996585" "5008496" "5103375" "5305015").PN.	USPAT	2003/06/ 03 14:30		
32	BRS	1	12400/1986	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 14:53		
33	IS& R	2	("20020180882").PN.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 15:00		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
34	IS&R	366	(257/679).CCLS.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 17:02		
35	BRS	103	aluminum adj oxide adj barrier	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 03 17:02		
36	BRS	10	5786988.URPN.	USPAT	2003/06/ 03 17:38		
37	BRS	16	("3702464" "4266334" "4417413" "4803542" "4804828" "4889980" "4943708" "5031026" "5130783" "5255430" "5261999" "5264990" "5311396" "5399907" "5480842" "5581445").PN.	USPAT	2003/06/ 05 08:37		
38	BRS	25	5264990.URPN.	USPAT	2003/06/ 03 17:43		
39	BRS	3043	438/ and oblique	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 10:38		
40	BRS	17	conductive adj lines with electroplating and (PCB or printed adj circuit board or PC adj board)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 10:51		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
41	BRS	0	conductive adj lines with electroplating and (smartcard)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 10:48		
42	BRS	9531	electroplat\$3 and (PCB or printed adj circuit board or PC adj board)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 10:52		
43	BRS	244	electroplat\$3 with traces and (PCB or printed adj circuit board or PC adj board)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 15:51		
44	BRS	1137	smartcard	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 10:53		
45	BRS	1	electroplat\$3 with traces and (smartcard)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 10:53		
46	IS& R	2	("6396709").PN.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 15:52		
47	BRS	8	("4509095" "4680675" "5121297" "5144742" "5499444" "5764497" "6224395" "6233153").PN.	USPAT	2003/06/ 04 15:51		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
48	BRS	421	rigid adj flex	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 15:53		
49	BRS	5052	bridge with conductor	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 15:53		
50	BRS	0	(rigid adj flex) and (bridge with conductor)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 15:53		
51	BRS	4	("5239198" "5815372" "6080931" "6104088").PN.	USPAT	2003/06/ 04 16:29		
52	BRS	161	bridge adj conductors	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 16:33		
53	BRS	30	weaken\$3 with flexible and (PCB or printed adj circuit adj board or PC adj board)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 16:45		
54	BRS	13	("3589004" "4931134" "5004639" "5095628" "5142448" "5144534" "5144742" "5262594" "5288542" "5347712" "5499444" "5638597" "5655291").PN.	USPAT	2003/06/ 04 16:39		
55	BRS	21	5144534.URPN.	USPAT	2003/06/ 04 16:40		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
56	IS&R	2	("6162996").PN.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 16:48		
57	BRS	2	6162996.URPN.	USPAT	2003/06/ 04 16:45		
58	IS&R	2101	((361/749) or (361/752) or (361/764)).CCLS.	USPAT; US-PGPU B	2003/06/ 04 16:50		
59	IS&R	1977	((361/749) or (361/752) or (361/764)).CCLS.	USPAT	2003/06/ 04 16:54		
60	IS&R	124	((361/749) or (361/752) or (361/764)).CCLS.	US-PGPU B	2003/06/ 04 16:51		
61	BRS	809	((361/749) or (361/752) or (361/764)).CCLS.) and (flexible or bendable)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 18:13		
62	BRS	0	08-330727	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 18:19		
63	BRS	2	"08330727"	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 18:43		
64	BRS	7	("4467150" "4560844" "4640994" "4972051" "4977298" "5693920" "6239392").PN.	USPAT	2003/06/ 04 18:42		
65	BRS	74	abe.in. with yasuhisa.in.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 04 18:47		

	Typ e	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
66	BRS	17	4958260.URPN.	USPAT	2003/06/ 04 18:53		
67	BRS	21	5103375.URPN.	USPAT	2003/06/ 05 09:32		
68	IS& R	2	("6528742").PN.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 05 08:37		
69	BRS	7	("4467150" "4560844" "4640994" "4972051" "4977298" "5693920" "6239392").PN.	USPAT	2003/06/ 05 08:37		
70	BRS	10787	flexible adj printed adj circuit	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 05 08:50		
71	BRS	44	wir\$3 with bridge and (flexible adj printed adj circuit)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 05 08:50		
72	BRS	77	wir\$3 with bridg\$3 and (flexible adj printed adj circuit)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 05 09:08		
73	BRS	287	wir\$3 with bridg\$3 with groove\$1	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 05 09:13		
74	BRS	11	wir\$3 with bridg\$3 with groove\$1 and (smartcard or smart adj card or pcb or pc adj board or printed adj circuit adj board)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 05 09:14		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
75	IS& R	2	("5998738").PN.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/06/ 05 09:32		
76	IS& R	2	("5786988").PN.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM_TDB	2003/12/ 01 15:42		
77	BRS	13	5786988.URPN.	USPAT	2003/12/ 01 15:42		